Table of contents

Abulfatih HA → Adams, RP
Adams, RP, Demeke, T, Abulfatih, HA: RAPD DNA fingerprints and terpenoids: clues to past migrations of *Juniperus* in Arabia and east Africa 22
Aderkas, P von, Bonga, JM: Plants from haploid tissue culture of Larix decidua 225
Aguaded, S → Delibes, A
Ahn, SN, Bollich, CN, McClung, AM, Tanksley, SD: RFLP analysis of genomic regions associated with cooked-kernel elongation in rice 27
Albornoz, J → Dominguez, A
Alonso-Blanco, C, Goicoechea, PG, Roca, A, Giraldez, R: Genetic linkage between cytological markers and the seed storage protein loci *Sec2*[*Gli-R2*] and *Sec3*[*Glu-R1*] in rye 321
Amano, E → Iida, S
Amante-Bordeos, AD → Romero, GO
Andrés, M-F → Delibes, A
Ashwath, SK → Chatterjee, SN
Azanza, F, Young, TE, Kim, D, Tanksley, SD, Juvik, JA: Characterization of the effect of introgressed segments of chromosome 7 and 10 from *Lycopersion chmielewskii* on tomato soluble solids, pH, and yield 965

Bachmann, K → Houten, WHJ van
Bakry, F → Fauré, S
Balfourier, F → Charmet, G
Bandi, C → Castiglione, S
Bara, JM → Huff, DR
Barceló, P, Cabrera, A, Hagel, C, Lörz, H: Production of doubled-haploid plants from tritordeum anther culture 741
Baroncelli, S → Fambrini, M
Barua, UM → Chalmers, KJ
Baud, S → Murigneux, A
Baudoin, JP → Schmit, V
Beckert, M → Murigneux, A
Benito, C, Llorente, F, Henriques-Gil, N, Gallego, FJ, Zaragoza, C, Delibes, A, Figueiras, AM: A map of rye chromosome 4R with cytological and isozyme markers 941
Bennett, J → Mohan, M
Bennett, MD → O'Donoughue, LS
Bennetzen, JL, Springer, PS: The generation of Mutator transposable element subfamilies in maize 657
Bentur, JS → Mohan, M
Bettini, P → Gantet, P
Bettini, P → Guardiola, ML
Bevis, EE → Donaldson, PA
Bietz, JA → Bogyo, TP
Binarova, P, Straatman, K, Hause, B, Hause, G, van Lammeren, AAM: Nuclear DNA synthesis during the induction of embryogenesis in cultured microspores and pollen of *Brassica napus* L. 9
Binding, H → Wang, GR
Bisoffi, S → Castiglione, S
Bittinni, P → Guardiola, ML
Blake, NK → Talbert, LE
Blake T → Hayes, PM
Blake, TK → Talbert, LE
Bogani, P → Guardiola, ML
Bogyo, TP, Paulis, JW, Bietz, JA, Smith, JSC: Quantitative genetic studies of A/B zeins using a new model to test non-allelic interactions 33
Bollich, CN → Ahn, SN
Bonga, JM → Aderkas, P von
Bonierbale, MW, Plaisted, RL, Pineda, O, Tanksley, SD: QTL analysis of trichome-mediated insect resistance in potato 973
Boudry, P, Mörchen, M, Saumitou-Laprade, P, Vernet, Ph, Van Dijk, H: The origin and evolution of weed beets: consequences for the breeding and release of herbicide-resistant transgenic sugar beets 471
Bourquin, J-C, Sonko, A, Otten, L, Walter, B: Restriction fragment length polymorphism and molecular taxonomy in *Vitis Vinifera* L. 431
Bouvier, L, Zhang, Y-X, Lespinasse, Y: Two methods of haploidization in pear, *Pyrus communis* L.: greenhouse seedling selection and in situ parthenogenesis induced by irradiated pollen 229
Braga, DPV → Sobral, BWS
Branlard, G → Nieto-Taladriz, MT
Brar, JS → Virk, DS
Bressan, RA → Rietveld, RC
Buchanan, FC → Crawford, AM
Budde, AD → Skinner, DZ
Buiatti, M → Guardiola, ML
Burns, JA → Campbell, KG
Byrne, PF → Eskridge, KM

Cabrera, A → Barceló, P
Campbell, KG, Wernsman, EA, Fitzmurice, WP, Burns, JA: Construction of a designer chromosome in tobacco 837
Caprari, C → Frediani, M
Cardi, T, D'Ambrosio, F, Consoli, D, Puite, KJ, Ramulu, KS: Production of somatic hybrids between frost-tolerant *Solanum commersonii* and *S. tuberosum*: characterization of hybrid plants 193
Carrillo, JM → Ruiz, M
Carron, TR, Robbins, MP, Morris, P: Genetic modification of condensed tannin biosynthesis in *Lotus corniculatus*. 1. Heterologous antisense dihydroflavonol reductase down-regulates tannin accumulation in "hairy root" cultures 1006
Carter, CD → Rahimi, FR
Castiglione, S, Wang, G, Damiani, G, Bandi, C, Bisoffi, S, Sala, F: RAPD Fingerprints for identification and for taxonomic studies of elite poplar (*Populus* spp.) clones 54
Castillo, A → Hernandez, CM
Cervone, F → Frediani, M
Chalmers, KJ, Barua, UM, Hackett, CA, Thomas, WTB, Waugh, R, Powell, W: Identification of RAPD markers linked to genetic factors controlling the milling energy requirement of barley 314
Chalmers, KJ → Orozco-Castillo, C
Chang, R-Y, Peterson, PA: Chromosome labeling with transposable elements in maize 650
Chaparro, JX, Werner, DJ, O'Malley, D, Sederoff, RR: Targeted mapping and linkage analysis of morphological isozyme, and RAPD markers in peach 805
Charmet, G, Balfourier, F: Isozyme variation and species relationships in the genes *Lolium* L. (ryegrasses, Graminaceae) 641
Chaterjee, GK → Chatterjee, SN
Chatterjee, SN, Rao, CGP, Chatterjee, GK, Ashwath, SK, Patnaik, AK: Correlation between yield and biochemical parameters in the mulberry silkworm, *Bombyx mori* L. 385
Chee, PW → Talbert, LE
Chen, F → Hayes, PM
Chen, WY → Eisen, EJ
Chittenden, LM, Schertz, KF, Lin, Y-R, Wing, RA, Paterson, AH: A detailed RFLP map of *Sorghum bicolor* × *S. propinquum*, suitable for high-density mapping, suggests ancestral duplication of *Sorghum* chromosomes or chromosomal segments 925
Chowdhury, MKU, Vasil, V, Vasil, IK: Molecular analysis of plants regenerated from embryogenic cultures of wheat (*Triticum aestivum* L.) 821
Colleau, JJ → Verrier, E
Connolly, V → Kiang, A-S
Consoli, D → Cardi, T
Cooper, M → Srivastava, BL
Crawford, AM, Swarbrick, PA, Buchanan, FC, Dodds, KG: DNA fingerprinting analysis of Booroola pedigrees: a search for linkage to the Booroola gene 271
Cremonini, R → Frediani, M
Crossa, J → Hernandez, CM

D'Ambrosio, F → Cardi, T
D'Ovidio, R → Frediani, M
Dachkevitch, T → Pogna, NE
Dalmacio, RD → Romero, GO
Damiani, G → Castiglione, S
Danell, Ö → Jansson, G
Danesh, D → Young, ND
Dardevet, M → Nieto-Taladriz, MT
De Lorenzo, G → Frediani, M
Debouck, DG → Schmit, V
Delibes, A → Benito, C
Delibes, A, Romero, D, Aguaded, S, Duce, A, Mena, M, Lopez-Braña, I, Andrés, M-F, Martin-Sanchez, J-A, García-Olmedo, F: Resistance to the cereal cyst nematode (*Heterodera avenae* Woll.) transferred from the wild grass *Aegilops ventricosa* to hexaploid wheat by a "stepping-stone" procedure 402
Delves, AC → Li, Y-G
Demeke, T → Adams, RP
Desiderio, A → Frediani, M

Devos, KM → Xie, DX
Devos, KM → Laurie, DA
Diez, M, Jiménez, MM, Santos, JL: Synaptic patterns of rye B chromosomes. II. The effect of the standard B chromosomes on the pairing of the A set 17
Dodds, KG → Crawford, AM
Dominguez, A, Santiago, E, Albornoz, J, Gutierrez, A: The Segregation Distorter (*SD*) complex and the accumulation of deleterious genes in laboratory strains of *Drosophila melanogaster* 479
Donaldson, PA, Bevis, EE, Pandeya, RS, Gleddie, SC: Random chloroplast segregation and frequent mtDNA rearrangements in fertile somatic hybrids between *Nicotiana tabacum* L. and *N. glutinosa* L. 900
Dong, YS → Li, LH
Douches, DS → Freyre, R
Doudrick, RL → Nelson, CD
D'Ovidio, R → Frediani, M
Dron, M → Gantet, P
Dubcovsky, J, Galvez, AF, Dvořák, J: Comparison of the genetic organization of the early salt-stress-response gene system in salt-tolerant *Lophopyrum elongatum* and salt-sensitive wheat 957
Dubois, J → Rambaud, C
Duce, A → Delibes, A
Dudley, JW → Goldman, IL
Dudley, JW: Linkage disequilibrium in crosses between Illinois maize strains divergently selected for protein percentage 1016
Dvořák, J → Dubcovsky, J
Dvořák, J, Noaman, MM, Goyal, S, Gorham, J: Enhancement of the salt tolerance of *Triticum turgidum* L. by the *Knal* locus transferred from the *Triticum aestivum* L. chromosome 4D by homoeologous recombination 872

Eisen, EJ, Fortman, M, Chen, WY, Kopchick, JJ: Effect of genetic background on growth of mice hemizygous for wild-type or dwarf mutated bovine growth hormone transgenes 161
Elloran, R → Romero, GO
Elston, RC → Fernando, RL
Eriksson, I → Fahleson, J
Eskridge, KM, Smith, OS, Byrne, PF: Comparing test cultivars using reliability functions of test-check differences from on-farm trials 60

Fahleson, J, Eriksson, I, Landgren, M, Stymne, S, Glimelius, K: Intertribal somatic hybrids between *Brassica napus* and *Thlaspi perfoliatum* with high content of the *T. perfoliatum*-specific nervonic acid 795
Fambrini, M, Pugliesi, C, Vernieri, P, Giuliano, G, Baroncelli, S: Characterization of a sunflower (*Helianthus annuus* L.) mutant, deficient in carotenoid synthesis and abscisic-acid content, induced by in-vitro tissue culture 65
Farman, ML → Skinner, DZ
Farooqui, A → Rao, AV
Fauré, S, Noyer, JL, Horry, JP, Bakry, F, Lanaud, C, González de León, D: A molecular marker-based linkage map of diploid bananas (*Musa acuminata*) 517
Fehr, WR → Hawbaker, MS
Fernando, RL → Lo, LL
Fernando, RL, Stricker, C, Elston, RC: An efficient algorithm to compute the posterior genotypic distribution for every member of a pedigree without loops 89
Figdore, SS → Kennard, WC
Figueiras, AM → Benito, C
Fitzmurice, WP → Campbell, KG
Foolad, MR, Jones, RA: Mapping salt-tolerance genes in tomato (*Lycopersicon esculentum*) using trait-based marker analysis 184
Ford-Lloyd, BV → Francisco-Ortega, J
Fortman, M → Eisen, EJ
Foulley, JL → Verrier, E
Francisco-Ortega, J, Newbury, HJ, Ford-Lloyd, BV: Numerical analysis of RAPD data highlight the origin of cultivated tagasaste (*Chamaecytisus proliferus* ssp. *palmensis*) in the Canary Islands 264
Franckowiak, J → Hayes, PM
Frediani, M, Cremonini, R, Salvi, G, Caprari, C, Desiderio, A, D'Ovidio, R, Cervone, F, De Lorenzo, G: Cytological localization of the *PGIP* genes in the embryo suspensor cells of *Phaseolus vulgaris* L 369
Freymark, PJ, Lee, M, Woodman, WL, Martinson, CA: Quantitative and qualitative trait loci affecting host-plant response to *Exserohilum turcicum* in maize (*Zea mays* L.) 537
Freyre, R, Douches, DS: Isoenzymatic identification of quantitative traits in crosses between heterozygous parents: mapping tuber traits in diploid potato (Solanum spp.) 764
Fristensky, B → Mailer, RJ
Fukui, K, Ohmido, N, Khush, GS: Variability in rDNA loci in the genus Oryza detected through fluorescence in situ hybridization 893
Fuong, FT → Voylokov, AV
Fuong, FT, Voylokov, AV, Smirnov, VG: Genetic studies of self-fertility in rye (*Secale cereale* L.). 2. The search for isozyme marker genes linked to self-incompatibility loci 619
Furnier, GR → Liu, Z

Gale, MD → Laurie, DA
Gale, MD → Liu, CJ
Gale, MD → Xie, DX
Gallego, FJ → Benito, C
Galvez, AF → Dubcovsky, J
Gantet, P, Bettini, P, Dron, M: Light and developmental regulation of the *Anp*-controlled anthocyanin phenotype of bean pods 1
García-Olmedo, F → Delibes, A
Gebhardt, C → Kreike, CM
Gelder, WMJ van → Kolster, P
Gibson, JP → Mackay, IJ
Gilbert, ML → Vierling, RA
Giraldez, R → Alonso-Blanco, C
Giuliano, G → Fambrini, M
Gleddie, SC → Donaldson, PA
Glimelius, K → Fahleson, J
Glimelius, K → Landgren, M
Goicoechea, PG → Alonso-Blanco, C
Goldman, IL, Rocheford, TR, Dudley, JW: Quantitative trait loci influencing protein and starch concentration in the Illinois Long Term Selection maize strains 217
González de León, D → Fauré, S
Gorham, J → Dvořák, J
Goyal, S → Dvořák, J
Grossman, M → Lo, LL
Guardiola, ML, Bettini, P, Bogani, P, Pellegrini, MG, Storti, E, Bittini, P, Buiatti, M: Modification of competence for in vitro response to *Fusarium oxysporum* in tomato cells. 1. Selection from a susceptible cultivar for high and low polysaccharide content 988
Gupta, GK → Yadav, OP
Gutierrez, A → Dominguez, A

Haan, A de → Schoenmarkers, HCH
Hackett, CA → Chalmers, KJ
Hagel, C → Barceló, P
Halward, T, Stalker, HT, Kochert, G: Development of an RFLP linkage map in diploid peanut species 379
Hansen, JJ → Shaw, DV
Hasegawa, PM → Rietveld, RC
Hause, B → Binarova, P
Hause, G → Binarova, P
Hawbaker, MS, Fehr, WR, Mansur, LM, Shoemaker, RC, Palmer, RG: Genetic variation for quantitative traits in soybean lines derived from tissue culture 49
Hayashi, T, Ukai, Y: Detection of additive and dominance effects of QTLs in interval mapping of F_2 RFLP data 1021
Hayes, PM, Liu, BH, Knapp, SJ, Chen, F, Jones, B, Blake, T, Franckowiak, J, Rasmusson, D, Sorrells, M, Ullrich, SE, Wesenberg, D, Kleinhofs, A: Quantitative trait locus effects and environmental interaction in a sample of North American barley germ plasm 392
Henriques-Gil, N → Benito, C
Hernandez, CM, Crossa, J, Castillo, A: The area under the function: an index for selecting desirable genotypes 409
Heun M → Liu CJ
Heun, M, Murphy, JP, Phillips, TD: A comparison of RAPD and isozyme analyses for determining the genetic

relationships among *Avena sterillis* L. accessions 689
Higo, H → Kishimoto, N
Higo, K → Kishimoto, N
Hirai, A → Kanazawa, A
Hiremath, SC → Murthy, HN
Ho, J-Y → Williamson, VM
Horry, JP → Fauré, S
Houten, WHJ van, Scarlett, N, Bachmann, K: Nuclear DNA markers of the Australian tetraploid *Microseris scapigera* and its North American diploid relatives 498
Hu, H → Wang, G
Huen, M → Liu, CJ
Huff, DR, Bara, JM: Determining genetic origins of aberrant progeny from facultative apomictic Kentucky bluegrass using a combination of flow cytometry and silver-stained RAPD markers 201

Iida, S, Amano, E, Nishio, T: A rice (*Oryza sativa* L.) mutant having a low content of glutelin and a high content of prolamine 374
Ikehashi, H → Inai, S
Inai, S, Ishikawa, K, Nunomura, O, Ikehashi, H: Genetic analysis of stunted growth by nuclear-cytoplasmic interaction in interspecific hybrids of *Capsicum* by using RAPD markers 416
Irifune, K → Zheng, JY
Ishikawa, K → Inai, S

Jansson, G, Danell, Ö: Needs and benefits of empirical power transformations for production and quality traits in forest tree breeding 487
Jardin, P du → Schmit, V
Jaya Sree, T → Rao, AV
Ji, J → Wang, G
Jiménez, MM → Díez, M
Jones, B → Hayes, PM
Jones, RA → Foolad, MR
Jones, TM → Stalker, HT
Joshi, CP → Vierling, RA
Juvik, JA → Azanza, F

Kaeppler, SM, Phillips, RL, Kim, TS: Use of near-isogenic lines derived by backcrossing or selfing to map qualitative traits 233
Kaloshian, I → Williamson, VM
Kanazawa, A, Kishimoto, N, Sakamoto, W, Ohsawa, R, Ukai, Y, Tsutsumi, N, Hirai, A, Saito, A: Restriction fragments homologous to mitochondrial plasmid-like DNAs are located within limited chromosomal regions on the rice nuclear genome 577
Kavanagh, TA → Kiang, A-S
Keim, P → Sobral, BWS
Kennard, WC, Slocum, MK, Figdore, SS, Osborn, TC: Genetic analysis of morphological variation in *Brassica oleracea* using molecular markers 721
Khush, GS → Fukul, K
Kiang, A-S, Connolly, V, McConnell, DJ, Kavanagh, TA: Paternal inheritance of mitochondria and chloroplasts in *Festuca pratensis-Lolium perenne* intergeneric hybrids 681
Kilian, A, Kleinhofs, A, Villand, P, Thorbjørnsen, T, Olsen, O-A, Kleczkowski, LA: Mapping of the ADP-glucose pyrophosphorylase genes in barley 869
Kim, D → Azanza, F
Kim, TS → Kaeppler, SM
King, IP → Wang, G
Kishimoto, N, Higo, K, Higo, H Saito, A: The coding sequence for rice seed catalase detects a locus different from that determined by isozyme analysis 625
Kishimoto, N → Kanazawa, A
Kleczkowski, LA → Kilian, A
Kleinhofs, A → Hayes, PM
Kleinhofs, A → Kilian, A
Klein, CMJ de → Schoenmakers, HCH
Knapp, SJ → Hayes, PM
Kochert, G → Halward, T
Kolster, P, Krechting, CF, Gelder, WMJ van: Expression of individual HMW glutenin subunit genes of wheat (*Triticum aestivum* L.) in relation to differences in number and type of homoeologous subunits and differences in genetic background 209
Koning, JRA de → Kreike, CM
Koornneef, M → Schoenmakers, HCH
Koornneef, M → Wisman, E
Kopchick, JJ → Eisen, EJ
Krechting, CF → Kolster, P
Kreike, CM, de Koning, JRA, Vinke, JH, van Ooijen, JW, Gebhardt, C, Stiekema, WJ: Mapping of loci involved in quantitatively inherited resistance to the potato cyst-nematode *Globodera rostochiensis* pathotype Ro1 464
Kremer, A → Petit, RJ
Ksihimoto, N → Kanazawa, A
Kumar, L → Young, ND

LaHood, ES → Sobral, BWS
Lanaud, C → Fauré, S
Lanaud, C → Laurent, V
Landgren, M → Fahleson, J
Landgren, M, Glimelius, K: A high frequency of intergenomic mitochondrial recombination and an overall biased segregation of *B. campestris* or recombined *B. campestris* mitochondria were found in somatic hybrids made within *Brassicaceae* 854
Laurent, V, Risterucci, AM, Lanaud, C: Chloroplast and mitochondrial DNA diversity in *Theobroma cacao* 81
Larkin, PJ → Li, Y-G
Laurie, DA, Pratchett, N, Devos, KM, Leitch, IJ, Gale, MD: The distribution of RFLP markers on chromosome 2(2H) of barley in relation to the physical and genetic location of 5S rDNA 177
Lee, M → Freymark, PJ
Lee, M → Moser, H
Leitch, IJ → Laurie, DA
Leong, SA → Skinner, DZ
Lespinasse, Y → Bouvier, L
Leung, H → Skinner, DZ
Levi, A → Rowland, LJ
Li, LH, Dong, YS: A self-fertile trigenetic hybrid, *Triticum aestivum* × *Agropyrron michnoi* × *Secale cereale* 361
Li, Y-G, Tanner, GJ, Delves, AC, Larkin, PJ: Asymmetric somatic hybrid plants between *Medicago sativa* L. (alfalfa, lucerne) and *Onobrychis viciifolia* Scop. (sainfoin) 455
Liang, GH → Shu, G
Lin, Y-R → Chittenden, LM
Liu, BH → Hayes, PM
Liu, CJ, Heun, M, Gale, MD: Intrachromosomal mapping of seven biochemical loci in barley, *Hordeum vulgare* 94
Liu, Z, Furnier, GR: Comparison of allozyme, RFLP, and RAPD markers for revealing of genetic variation within and between trembling aspen and bigtooth aspen 97
Llorente, F → Benito, C
Lo, LL, Fernando, RL, Grossman, M: Covariance between relatives in multi-breed populations: additive model 423
Lopez-Braña, I → Delibes, A
Lörz, H → Barceló, P
Lu, M → Meng, J

Mackay, IJ, Gibson, JP: The effect of gametic-phase disequilibrium on the prediction of response to recurrent selection in plants 152
Magyar, GM → Talbert, LE
Mailer, RJ, Scarth, R, Fristensky, B: Discrimination among cultivars of rapeseed (*Brassica napus* L.) using DNA polymorphisms amplified from arbitrary primers 697
Manga, VK → Yadav, OP
Mansur, LM → Hawbaker, MS
Martin-Sanchez, J-A → Delibes, A
Martinson, CA → Freymark, PJ
Mayer, MS, Soltis, PS: Chloroplast DNA phylogeny of *Lens* (Leguminosae): origin and diversity of the cultivated lentil 773
McClung, AM → Ahn, SN
McConnell, DJ → Kiang, A-S
Mena, M → Delibes, A
Menancio-Hautea, D → Young, ND
Meng, J, Lu, M: Genotype effects of *Brassica napus* on its reproductive behavior after pollination with *B. juncea* 238
Metakovsky, EV → Pogna, NE
Miller, N → Williamson, VM
Mitsunaga, S, Tashiro, T, Yamaguchi, J: Identification and characterization of gibberellin-insensitive mutants selected from among dwarf mutants of rice 705
Mohan, M, Nair, S, Bentur, JS, Rao, UP, Bennett, J: RFLP and RAPD mapping of the rice *Gm2* gene that confers

resistance to biotype 1 of gall midge (*Orseolia oryzae*) 782
Molina-Cano, JL → Moralejo, M
Moore, G → Xie, DX
Moralejo, M, Romagosa, I, Salcedo, G, Sanchez-Monge, R, Molina-Cano, JL: On the origin of the Spanish two-rowed barleys 829
Mörchen, M → Boudry, P
Morikawa, H → Zheng, JY
Morris, P → Carron, TR
Moser, H, Lee, M: RFLP variation and genealogical distance, multivariate distance, heterosis, and genetic variance in oats 947
Mujeeb-Kazi, A → William, MDHM
Mullins, RT → Srivastava, BL
Murigneux, A, Baud, S, Beckert, M: Molecular and morphological evaluation of doubled-haploid lines in maize. 2. Comparison with single-seed-descent lines 278
Murphy, JP → Heun, M
Murphy, JP → Stalker, HT
Murthy, HN, Hiremath, SC, Salimath, SS: Origin, evolution and genome differentiation in *Guizotia abyssinica* and its wild species 587
Muthukrishnan, S → Shu, G

Nair, S → Mohan, M
Nakata, M → Zheng, JY
Nance, WL → Nelson, CD
Nelson, CD, Nance, WL, Doudrick, RL: A partial genetic linkage map of slash pine (*Pinus elliottii* Englm. var. elliottii) based on random amplified polymorphic DNAs 145
Newbury, HJ → Francisco-Ortega, J
Nguyen, HT → Vierling, RA
Nguyen, HT → Yu, L-X
Nienhuis, J → Santos, JB dos
Nieto-Taladriz, MT, Branlard, G, Dardevet, M: Polymorphism of omega-gliadins durum in wheat as revealed by the two-step APAGE/SDS-PAGE technique 1001
Nishio, T → Iida, S
Noaman, MM → Dvořák, J
Nobel, EM → Schoenmakers, HCH
Noyer, JL → Faure, S
Nunomura, O → Inai, S

O'Donoughue, LS, Bennett, MD: Comparative responses of tetraploid wheats pollinated with *Zea mays* L. and *Hordeum bulbosum* L. 673
O'Malley, D → Chaparro, JX
Ogihara, Y → Yaneshita, M
Ohmido, N → Fukui, K
Ohmura, T → Yaneshita, M
Ohsawa, R → Kanazawa, A
Olsen, O-A → Kilian, A
Ooijen, JW van → Kreike, CM
Orozco-Castillo, C, Chalmers, KJ, Waugh, R, Powell, W: Detection of genetic diversity and selective gene introgression in coffee using RAPD markers 934
Osborn, TC → Kennard, WC
Otten, L → Bourquin, J-C

Palmer, RG → Hawbaker, MS
Pandeya, RS → Donaldson, PA
Paterson, AH → Chittenden, LM
Patnaik, AK → Chatterjee, SN
Paulis, JW → Bogyo, TP
Paulsen, GM → Shu, G
Pellegrini, MG → Gurdiola, ML
Peña, RJ → William, MDHM
Peterson, PA → Chang, R-Y
Petit, RJ, Kremer, A, Wagner, DB: Geographic structure of chloroplast DNA polymorphisms in European oaks 122
Phillips, RL → Kaeppler, SM
Phillips, TD → Heun, M
Phillips, TD → Stalker, HT
Pineda, O → Bonierbale, MW
Plaisted, RL → Bonierbale, MW
Pogna, NE, Metakovsky, EV, Redaelli, R, Raineri, F, Dachkevitch, T: Recombination mapping of *Gli-5*, a new gliadincoding locus on chromosomes 1A and 1B in common wheat 113
Pollak, EJ → Schmitz, S-FH
Potz, H, Tatlioglu, T: Molecular analysis of cytoplasmic male sterility in chives (*Allium schoenoprasum* L.) 439
Powell W → Chalmers, KJ
Powell, W → Orozco-Castillo, C
Powles, SB → Purba, E
Pratchett, N → Laurie, DA
Preston, C → Purba, E
Pugliesi, C → Fambrini, M
Puite, KJ → Cardi, T
Purba, E, Preston, C, Powles, SB: Inheritance of bipyridyl herbicide resistance in *Arctotheca calendula* and *Hordeum leporinum* 598

Qualset, CO → Spagnoletti Zeuli, PL

Rahimi, FR, Carter, CD: Inheritance of zingiberene in *Lycopersicon* 593
Raineri, F → Pogna, NE
Ramana, RV → Rao, AV
Ramanna, MS → Wisman, E
Rambaud, C, Dubois, J, Vasseur, J: Male-sterile chicory cybrids obtained by intergeneric protoplast fusion 347
Ramulu, KS → Cardi, T
Rangaswamy, NS → Tyagi, RK
Rao, AV, Farooqui, A, Jaya Sree, T, Ramana, RV, Sadanandam, A: EMS-induced streptomycin resistance in *Solanum melongena* 527
Rao, CGP → Chatterjee, SN
Rao, UP → Mohan, M
Rasmusson, D → Hayes, PM
Redaelli, R → Pogna, NE
Resistane to cereal cyst nematode (Heterodera avenae Woll.) transfered from the wild grass Aegilops ventricosa to hexaploid wheat by a 'stepping-stone' procedure 402
Risterucci, AM → Laurent, V
Rietveld, RC, Bressan, RA, Hasegawa, PM: Somaclonal variation in tuber disc-derived populations of potato. II. Differential effect of genotype 305
Robbins, MP → Carron, TR
Roca, A → Alonso-Blanco, C
Rocheford, TR → Sughroue, JR
Rocheford, TR → Goldman, IL
Rogstad, SH → Wolff, K
Romagosa, I → Moralejo, M
Romero, D → Delibes, A
Romero, GO, Amante-Bordeos, AD, Dalmacio, RD, Elloran, R, Sitch, LA: Comparative studies of isozymes in *Oryza sativa*, *O. minuta*, and their interspecific derivatives: evidence for homoeology and recombination 609
Rowland, LJ, Levi, A: RAPD-based genetic linkage map of blueberry derived from a cross between diploid species (*Vaccinium darrowi* and *V. elliottii*) 863
Ruiz, M, Carrillo, JM: Linkage relationship between prolamin genes on chromsomes 1A and 1B of durum wheat 353

Sadanandam, A → Rao, AV
Saiedi, AK → Schoenmakers, HCH
Saito, A → Kanazawa, A
Saito, A → Kishimoto, N
Sakamoto, K → Taguchi, T
Sakamoto, W → Kanazawa, A
Sala, F → Castiglione, S
Salcedo, G → Moralejo, M
Salimath, SS → Murthy, HN
Salvi, G → Frediani, M
Sánchez-Monge, R → Moralejo, M
Santiago, E → Dominguez, A
Santos, JB dos, Nienhuis, J, Skroch, P, Tivang, J, Slocum, MK: Comparison of RAPD and RFLP genetic markers in determining genetic similarity among *Brassica oleracea* L. genotypes 909
Santos JL → Diez, M
Sasakuma, T → Yaneshita, M
Saumitou-Laprade, P → Boudry, P
Scarlett, N → Houten, WHJ van
Scarth, R → Mailer, RJ
Schaal, BA → Wolff, K
Schertz, KF → Chittenden, LM
Schmit, V, Jardin, P du, Baudoin, JP, Debouck, DG: Use of chloroplast DNA polymorphisms for the phylogenetic study of seven *Phaseolus* taxa including *P. vulgaris* and *P. coccineus* 506
Schmitz, S-FH, Schwager, SJ, Pollak, EJ: Determining the minimum sample size required to obtain sufficient progeny with a desired genotype at two quantitative trait loci 136
Schoenmakers, HCH, Wolters, AMA, Haan, A de, Saiedi, AK, Koornneef, M: Asymmetric somatic hybridization between tomato (*Lycopersicon esculentum* Mill) and gamma-irradiated potato (*Solanum tuberosum* L.) a quantitative analysis 713
Schoenmakers, HCH, Wolters, AMA, Nobel, EM, Klein, CMJ de, Koornneef,

M: Allotriploid somatic hybrids of diploid tomato (*Lycopersicon esculentum* Mill.) and monoploid potato (*Solanum tubersum* L.) 328
Schwager, SJ → Schmitz, S-FH
Searcy, KB: Selection for tolerance to copper during pollen formation in *Mimulus guttatus* Fischer ex DC 250
Sederoff, RR → Chaparro, JX
Shaw, DV, Hansen, JJ: The inheritance of vegetative growth traits in strawberries (*Fragaria + ananassa*) grown at low temperatures and their relationship to field productivity 170
Shoemaker, RC → Hawbaker, MS
Shu, G, Muthukrishnan, S, Liang, GH, Paulsen, GM: Restriction fragment patterns of chloroplast and mitochondrial DNA of *Dasypyrum villosum* (L.) candargy and wheats 44
Siocum, MK → dos Santos, JB
Sitch, LA → Romero, GO
Skinner, DZ, Budde, AD, Farman, ML, Smith, JR, Leung, H, Leong, SA: Genome organization of *Magnaporthe grisea*: genetic map, electrophoretic karyotype, and occurrence of repeated DNAs 545
Skroch, P → Santos, JB dos
Slocum, MK → Kennard, WC
Slocum, MK → Santos, JB dos
Smirnov, VG → Fuong, FT
Smirnov, VG → Voylokov, AV
Smith, JR → Skinner, DZ
Smith, JSC → Bogyo, TP
Smith, OS → Eskridge, KM
Snape, JW → Wang, G
Sobral, BWS, Braga, DPV, LaHood, ES, Keim, P: Phylogenetic analysis of chloropalst restriction enzyme site mutations in the *Saccharinae* Griseb. subtribe of the *Andropogoneae* Dumort. tribe 843
Soltis, PS → Mayer, MS
Sonko, A → Bourquin, J-C
Sorrells, M → Hayes, PM
Sotirova, VG → Vulkova, ZV
Spagnoletti Zeuli, PL, Qualset, CO: Evaluation of five strategies for obtaining a core subset from a large genetic resource collection of durum wheat 295
Springer, PS → Bennetzen, JL
Srivastava, BL, Cooper, M, Mullins, RT: Quantitative analysis of the effect of selection history on sugar yield adaptation of sugarcane clones 627
Stalker, HT → Halward, T
Stalker, HT, Phillips, TD, Murphy, JP, Jones, TM: Variation of isozyme patterns among *Arachis* species 746
Stiekema, WJ → Kreike, CM
Storti, E → Guardiola, ML
Straatman, K → Binarova, P
Stricker, C → Fernando, RL
Stymne, S → Fahleson, J
Sughroue, JR Rocheford, TR: Restriction fragment length polymorphism differences among Illionois long-Term selection oil strains 916
Swarbrick, PA → Crawford, AM

Table of Contents, Vol. 87, 1993/1994 I–VIII
Taguchi, T, Sakamoto, K, Terada, M: Fertile somatic hybrids between *Petunia hybrida* and a wild species, *Petunia variabilis* 75
Talbert, LE, Blake, NK, Chee, PW, Blake, TK, Magyar, GM: Evaluation of "sequence-tagged-site" PCR products as molecular markers in wheat 789
Tanaka, R → Zheng, JY
Tanksley, SD → Ahn, SN
Tanksley, SD → Azanza, F
Tanksley, SD → Bonierbale, MW
Tanner, GJ → Li, Y-G
Tashiro, T → Mitsunaga, S
Tatlioglu, T → Potz, H
Terachi, T → Yamagishi, H
Terada, M → Taguchi, T
Tersac, M, Vares, D, Vincourt, P: Combining-groups in cultivated sunflower populations (*Helianthus annuus* L.) and their relationships with the country of origin 603
Thomas, W.T.B → Chalmers, KJ
Thompson, R → Wray, NR
Thorbjørnsen, T → Kilian, A
Tivang, J → Santos, JB dos
Tsutsumi, N → Kanazawa, A
Tyagi, RK, Rangaswamy NS: Screening of pollen grains vis-à-vis whole plants of oilseed brassicas for tolerance to salt 343

Ukai, Y → Hayashi, T
Ukai, Y → Kanazawa, A
Ullrich, SE → Hayes, PM

Van Dijk, H → Boudry, P
van Lammeren, AAM → Binarova, P
Vares, D → Tersac, M
Vasil, IK → Chowdhury, MKU
Vasil, V → Chowdhury, MKU
Vasseur, J → Rambaud, C
Vernet, Ph → Boudry, P
Vernieri, P → Fambrini, M
Verrier, E, Colleau, JJ, Foulley, JL: Long-term effects of selection based on the animal model BLUP in a finite population 446
Vierling, RA, Xiang, Z, Joshi, CP, Gilbert, ML, Nguyen, HT: Genetic diversity among elite *Sorghum* lines revealed by restriction fragment length polymorphisms and random amplified polymorphic DNAs 816
Villand, P → Kilian, A
Vincourt, P → Tersac, M
Vinke, JH → Kreike, CM
Virk, DS, Brar, JS: Assessment of cytoplasmic differnces of near-isonuclear male-sterile lines in pearl millet 106
Voylokov, AV → Fuong, FT
Voylokov, AV, Fuong, FT, Smirnov, VG: Genetic studies of self-fertility in rye (*Secale cereale* L.). 1. The identification of the genotype of self-fertile lines for the *Sf alleles* of self-incompatibility genes 616
Vulkova, ZV, Sotirova, VG: Study of the three-genome hybrid *Lycopersicon esculentum* Mill. – *L. chilense* Dun. – *L. peruvianum* var '*humifusum*' Mill. and its use as a source for resistance 337

Wagner, DB → Petit, RJ
Walter, B → Bourquin, J-C
Wang, G → Castiglione, S
Wang, G, Ji, J, Wang, Y-B, Hu, H, King, IP, Snape, JW: The genetic characterisation of novel multi-addition doubled haploid lines derived from *triticale* × wheat hybrids 531
Wang, GR, Binding, H: Somatic hybrids and cybrids of *Senecio fuchsii* Gmel. (×) *jacobaea* L. 561
Wang, Y-B → Wang, G
Waugh, R → Chalmers, KJ
Waugh, R → Orozco-Castillo, C
Werner, DJ → Chaparo, JX
Wernsman, EA → Campbell, KG
Wesenberg, D → Hayes, PM
William, MDHM, Peña, RJ, Mujeeb-Kazi, A: Seed protein and isozyme variations in *Triticum tauschii* (*Aegilops squarrosa*) 257
Williamson, VM, Ho, J-Y, Wu, FF, Miller, N, Kaloshian, I: A PCR-based marker tightly linked to the nematode resistance gene, *Mi*, in tomato 757
Wing, RA → Chittenden, LM
Wisman, E, Ramanna, MS, Koornneef, M: Isolation of a new paramutagenic allele of the sulfurea locus in the tomato cultivar Moneymaker following in vitro culture 289
Wolff, K, Rogstad, SH, Schaal, BA: Population and species variation of minisatellite DNA in *Plantago* 733
Wolters, A-MA → Schoenmakers, HCH
Wolters, AMA → Schoenmakers, HCH
Woodman, WL → Freymark, PJ
Woolliams, JA → Wray, NR
Wray, NR, Woolliams, JA, Thompson, R: Prediction of rates of inbreeding in populations undergoing index selection 878
Wu, FF → Williamson, VM

Xiang, Z → Vierling, RA
Xie, DX, Devos, KM, Moore, G, Gale, MD: RFLP-based genetic maps of the homoeologous group 5 chromosomes of bread wheat (*Triticum aestivum* L.) 70

Yadav, OP, Manga, VK, Gupta, GK: Influence of A_1, cytoplasmic substitution on the downy-mildew incidence of pearl millet 558
Yamagishi, H, Terachi, T: Molecular and biological studies on male-sterile cytoplasm in the Cruciferae. I. The origin and distribution of Ogura male-

sterile cytoplasm in Japanese wild radishes (*Raphanus sativus* L.) revealed by PCR-aided assay of their mitochondrial DNAs 996
Yamaguchi, J → Mitsunaga, S
Yaneshita, M, Ohmura, T, Sasakuma, T, Ogihara, Y: Phylogenetic relationships of turfgrasses as revealed by restriction fragment analysis of chloroplast DNA 129
Yang, R-C, Yeh, FC: Multilocus structures in *Pinus contorta* Dougl. 568
Yeh, FC → Yang, R-C
Young TE → Azanza, F
Young, ND, Danesh, D, Menancio-Hautea, D, Kumar, L: Mapping oligogenic resistance to powdery mildew in mungbean with RFLPs 243
Yu, L-X, Nguyen, HT: Genetic variation detected with RAPD markers among upland and lowland rice cultivars (*Oryza sativa* L.) 668
Zaragoza, C → Benito C
Zhang, Y-X → Bouvier, L
Zheng, JY, Nakata, M, Irifune, K, Tanaka, R, Morikawa, H: Fluorescent banding pattern analysis of eight taxa of *Phaseolus* and *Vigna* in relation to their phylogenetic relationships 38

Errata 1028

Acknowledgements

The editors wish to thank the following referees for their assistance and evaluation of manuscripts submitted

O. S. Abdalla (Mexico, Mexico)
J. van Arendonk (Wageningen, Netherlands)
W. Barz (Münster, Germany)
J. Bennett (Los Banos, Philippines)
H. Binding (Kiel, Germany)
C. R. Brown (Prosser, USA)
P. Brown (Hamburg, Germany)
C. Cockerham (Raleigh, USA)
T. A. Coffelt (Suffolk, USA)
J. Davis (Ithaca, USA)
J. C. M. Dekkers (Guelp, Canada)
J. Doebley (St. Paul, USA)
M. D. Edwards (LeSueur, USA)
M. A. Elzo (Gainesville, USA)
G. Forkman (Freising, Germany)
B. Foroughi-Wehr (Grünbach, Germany)
S. Galili (Haifa, Israel)
M. Ganal (Gatersleben, Germany)
A. Graner (Grünbach, Germany)
C. Gebhardt (Köln, Germany)
R. Graybosch (Lincoln, USA)
Grimsly (Toulouse, France)
K. Haynes (Beltsville, USA)
D. J. Heinz (Aica, USA)
T. C. Helms (Fargo, USA)
N. Huang (Los Banos, Philippines)
A. Jahoor (Freising, Germany)
H. de Jong (Fredericton, Canada)
L. R. Joppa (Fargo, USA)
C. Jung (Kiel, Germany)
B. Kirkpatrick (Madison, USA)
A. C. Kistler (Florida, USA)
S. Knapp (Corvallis, USA)
D. A. Knauft (Gainesville, USA)
G. Kochert (Athens, USA)
G. H. Liang (Manhattan, USA)
H. Lörz (Hamburg, Germany)
S. McCouch (Los Banos, Philippines)
B. McDonald (Texas, USA)
M. Meghji (Bloomington, USA)
A. E. Melchinger (Stuttgart, Germany)
G. Melz (Groß-Lüsewitz, Germany)
J. F. Miller (Fargo, USA)
R. M. Moll (Raleigh, USA)
N. Muggli-Cocket (Logan, USA)
D. L. Mulcahy (Amherst, USA)
W. Odenbach (Berlin, Germany)
S. Openshaw (Johnston, USA)
J. S. Quick (Fort Collins, USA)
C. F. Quiros (Davis, USA)
S. Rajaram (Mexico, Mexico)
O. Savolainen (Oulu, Finland)
A. M. Saxton (Knoxville, USA)
O. S. Smith (Johnston, USA)
C. E. Simpson (Stephanville, USA)
C. C. Tai (Fredericton, Canada)
J. Tuby (St. Paul, USA)
S. S. Virmani (Los Banos, Philippines)
D. Vaughan (Los Banos, Philippines)
A. Walker (Jamesville, USA)
B. Weir (Raleigh, USA)
G. Wiggans (Beltsville, USA)
S. Xu (Raleigh, USA)
P. Zabel (Wageningen, Netherlands)

as well as the assistance of Mrs. Ritta Wehrer at the editorial office.